

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|--|------------------|---------|---------------------|
| S1 | 372 | (380/247.ccls.) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 09:47 |
| S2 | 57219 | "380"/.clas. or "726"/.clas. or "713"/.clas. | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 09:48 |
| S3 | 0 | mobile adj node and home adj agent and corresponding adj node and ((home adj test adj (init or initialization or initiate or initiation)) or HOTI or hot or home adj (init or initialization or initiate or initiation) adj (cookie or message or packet)) and home adj address and ((care adj of adj test adj init) or coti or cot or care adj of adj test or care adj of adj test adj init adj (cookie or packet or message)) and (care adj of adj address) and (binding adj up adj date or binding adj up adj date adj message) and (secret adj key) and (first adj key or first adj key adj information) and (second adj key or second adj key adj information) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 10:48 |
| S4 | 0 | mobile adj node and home adj agent and corresponding adj node and ((home adj test adj (init or initialization or initiate or initiation)) or HOTI or hot or home adj (init or initialization or initiate or initiation) adj (cookie or message or packet)) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 10:50 |

| | | | | | | |
|----|---|---|--|----|----|---------------------|
| S5 | 0 | mobile adj node and home adj agent and corresponding adj node and ((home adj test adj (init or initialization or initiate or initiation)) or HOTI or hot or home adj (init or initialization or initiate or initiation) adj (cookie or message or packet)) and ((care adj of adj test adj init) or coti or cot or care adj of adj test or care adj of adj test adj init adj (cookie or packet or message) or coa) and (binding adj up adj date or binding adj up adj date adj message) and (secret adj key) and (first adj key or first adj key adj information) and (second adj key or second adj key adj information) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 10:53 |
| S6 | 0 | mobile adj node and home adj agent and corresponding adj node | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 10:54 |
| S7 | 0 | ((home adj test adj (init or initialization or initiate or initiation)) or HOTI or hot or home adj (init or initialization or initiate or initiation) adj (cookie or message or packet)) and ((care adj of adj test adj init) or coti or cot or care adj of adj test or care adj of adj test adj init adj (cookie or packet or message)) and (binding adj up adj date or binding adj up adj date adj message) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 10:57 |

| | | | | | | |
|-----|------|--|--|----|----|---------------------|
| S8 | 0 | ((home adj test adj (init or initialization or initiate or initiation)) or HOTI or hot or home adj (init or initialization or initiate or initiation) adj (cookie or message or packet)) and ((care adj of adj test adj init) or coti or cot or care adj of adj test or care adj of adj test adj init adj (cookie or packet or message)) and (binding adj up adj date or binding adj up adj date adj message) and S1 | US-PGRUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 10:57 |
| S9 | 8271 | (home adj test adj init or HOTI or hot) and (care adj of adj test adj init or coti or cot or care adj of adj test or care adj of adj test adj init adj (cookie or packet or message)) | US-PGRUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 11:01 |
| S10 | 8271 | ((home adj test adj (init or initialization or initiate or initiation)) or HOTI or hot or home adj (init or initialization or initiate or initiation) adj (cookie or message or packet)) and ((care adj of adj test adj init) or coti or cot or care adj of adj test or care adj of adj test adj init adj (cookie or packet or message)) | US-PGRUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 11:01 |
| S11 | 0 | mobile adj communication adj (nodes or devices or apparatus) with (DES or data adj encryption adj standard) with (triple adj DES or triple adj data adj encryption adj standard) | US-PGRUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 11:07 |
| S12 | 0 | mobile adj communication adj (nodes or devices or apparatus) same (DES or data adj encryption adj standard) same (triple adj DES or triple adj data adj encryption adj standard) | US-PGRUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 11:08 |

| | | | | | | |
|-----|------|---|--|----|----|---------------------|
| S13 | 54 | mobile adj communication adj (nodes or devices or apparatus) and (DES or data adj encryption adj standard) and (triple adj DES or triple adj data adj encryption adj standard) | US-PGRUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 11:08 |
| S14 | 1 | S10 and (first adj key adj information) and (second adj key adj information) and (secret adj key) | US-PGRUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 11:11 |
| S15 | 0 | ("2004/0179688").URPN. | USPAT | OR | ON | 2008/03/20 11:11 |
| S16 | 1 | S10 and (Diffie adj hellman adj key adj exchange) | US-PGRUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 11:21 |
| S17 | 5967 | ((home adj test adj (init or initialization or initiate or initiation)) or HOTI or hot or home adj (init or initialization or initiate or initiation) adj (cookie or message or packet)) and ((care adj of adj test adj init) or coti or cot or care adj of adj test or care adj of adj test adj init adj (cookie or packet or message)) and (DES or data adj encryption adj standard) | US-PGRUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 11:41 |
| S18 | 52 | ((home adj test adj (init or initialization or initiate or initiation)) or HOTI or hot or home adj (init or initialization or initiate or initiation) adj (cookie or message or packet)) and ((care adj of adj test adj init) or coti or cot or care adj of adj test or care adj of adj test adj init adj (cookie or packet or message)) and (triple adj DES or triple adj data adj encryption adj standard) | US-PGRUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 11:42 |

| | | | | | | |
|-----|----|--|--|----|----|---------------------|
| S19 | 34 | ((home adj test adj (init or initialization or initiate or initiation)) or HOTI or hot or home adj (init or initialization or initiate or initiation) adj (cookie or message or packet)) and ((care adj of adj test adj init) or coti or cot or care adj of adj test or care adj of adj test adj init adj (cookie or packet or message)) and (diffie adj hellman or diffie adj hellman adj key adj exchange) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 11:44 |
| S20 | 33 | ((home adj test adj (init or initialization or initiate or initiation)) or HOTI or hot or home adj (init or initialization or initiate or initiation) adj (cookie or message or packet)) and ((care adj of adj test adj init) or coti or cot or care adj of adj test or care adj of adj test adj init adj (cookie or packet or message)) and (diffie adj hellman or diffie adj hellman adj key adj exchange) and (secret adj key) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 11:46 |
| S21 | 0 | S17 and S1 | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 11:51 |
| S22 | 0 | mobile adj communication adj (nodes or devices or apparatus) and (DES or data adj encryption adj standard) and (triple adj DES or triple adj data adj encryption adj standard) and (diffie adj hellman adj key adj exchange) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 12:38 |
| S23 | 1 | mobile adj communication adj (nodes or devices or apparatus) and (DES or data adj encryption adj standard) and (triple adj DES or triple adj data adj encryption adj standard) and (diffie adj hellman) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 12:39 |

| | | | | | | |
|-----|-----|---|--|----|----|---------------------|
| S24 | 540 | (diffie adj hellman adj key adj exchange) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 12:45 |
| S25 | 34 | S24 and (mobile or portable or cord adj less or wire adj less) same (communication adj device) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 12:48 |
| S26 | 20 | S25 and (des or DES or data adj encryption adj standard) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 12:51 |
| S27 | 3 | S26 and (triple adj DES) | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 12:52 |
| S28 | 0 | ("2007/0083766"). URFN. | USPAT | OR | ON | 2008/03/20 12:56 |
| S29 | 12 | ("20020010799" "5320493" "5513337" "5757924" "6055236" "6154839" "6256715" "6363614" "6507908" "6510154" "6535511" "6650621").PN. OR ("7043633"). URFN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/03/20 13:20 |
| S30 | 0 | (diffie adj hellman adj key adj exchange) same first adj key adj information same second adj key adj information | US-PGPUB; USPAT; USOCR | OR | ON | 2008/03/20 13:23 |
| S31 | 1 | (diffie adj hellman adj key adj exchange) and first adj key adj information and second adj key adj information | US-PGPUB; USPAT; USOCR | OR | ON | 2008/03/20 13:24 |
| S32 | 56 | (diffie adj hellman adj key adj exchange) and first adj key and second adj key | US-PGPUB; USPAT; USOCR | OR | ON | 2008/03/20 13:24 |
| S33 | 4 | (diffie adj hellman adj key adj exchange) same first adj key same second adj key | US-PGPUB; USPAT; USOCR | OR | ON | 2008/03/20 13:25 |
| S34 | 1 | (diffie adj hellman adj key adj exchange) with first adj key with second adj key | US-PGPUB; USPAT; USOCR | OR | ON | 2008/03/20 13:25 |

| | | | | | | |
|-----|-----|---|--|----|----|---------------------|
| S35 | 0 | S24 and (mobile or portable or cord adj less or wire adj less) same (communication adj device) same des same 3des | US-PGRUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 13:35 |
| S36 | 11 | S24 and (mobile or portable or cord adj less or wire adj less) and (communication adj device) and des and 3des | US-PGRUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 13:35 |
| S37 | 146 | (DES or data adj encryption adj standard) and (3DES or triple adj data adj encryption adj standard) and (mobile or portable or cord adj less or wire adj less) same (communication adj device) | US-PGRUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 13:54 |
| S38 | 0 | S37 and (mobile or wire adj less or cord adj less) and (phone or phones or devices) | US-PGRUB; USPAT; USOCR; IBM_TDB | OR | ON | 2008/03/20 13:56 |

3/27/2008 9:17:34 AM

C:\Documents and Settings\dshaiferharriman\My Documents\EAST\Workspaces\10782854.wsp